

Answer the questions fully to your best ability. Use the space provided. If you run out of room, use the backsides. No partial credit will be given if you do not show the steps of your calculations! **Write as neatly as possible!**

Name: _____

1. Consumer derives utility of the consumption of two goods - apples and bananas. The specific utility function is of this form:

$$U(a, b) = Ca^\alpha b^\beta$$

Where C is some positive constant, a is the amount of apples, and b is the amount of bananas consumed. $0 < \alpha < 1$, $0 < \beta < 1$ and $\alpha + \beta = 1$.

- (2) (a) What is the marginal utility of apples (MU_a)¹?
- (2) (b) Does this utility function exhibit diminishing marginal utility of apples? Explain.
- (2) (c) What is the marginal utility of bananas (MU_b)?
- (2) (d) Does this utility function exhibit diminishing marginal utility of bananas? Explain.

¹Notice, that MU_a does not mean a derivative of the marginal utility with respect to a , but simply marginal utility of apples.

(2) (e) Is $U(a, b)$ homogeneous? If so of what degree?

(2) (f) Is MU_a (marginal utility of apples) homogeneous? If so of what degree?

2. Find the stationary points of these functions, identify if it is a maximum, a minimum or an inflection point:

(2) (a) $y = x^2 - 2x + 1$

(2) (b) $y = x$
[Hint: Try plotting this function]

(2) (c) $y = x^4 - x^3$
[Hint: This function has two stationary points]

3. Find the first-order and second-order derivatives of the following function:

$$z = \frac{e^y}{\ln(x)}$$

(2) (a) z_x

(2) (b) z_{xx}

(2) (c) z_{xy}

(2) (d) z_y

(2) (e) z_{yy}

(2) (f) z_{yx}

4. You want to allocate your time to two classes that you are taking. The total time that you want to devote for studying is T hours. The grade that you are going to get in each of the class is a function of the time spent studying: $f(t_1, t_2)$ for the first class and $g(t_2)$ for the second (measured in grade points). You want your GPA for the two classes to be equal to G . We can write the above conditions in a system of equations:

$$\begin{cases} t_1 + t_2 - T = 0 \\ f(t_1, t_2) + g(t_2) - 2G = 0 \end{cases}$$

- (2) (a) Find the Jacobian of the given system of equations.
- (2) (b) Does a unique solution to this system of equations exist? What does your answer depend on?
- (2) (c) Use the implicit function theorem approach to find expressions for the comparative static derivatives $\frac{\partial t_1^*}{\partial G}$, $\frac{\partial t_2^*}{\partial G}$. Do not try to evaluate the sign of these expressions!

5. A monopolist cellular service provider “Big Ear” is faced with the following demand for its service: $p = f(q, m)$, where p is the price for the monthly contract, q is the amount of monthly service contracts signed, and m is the amount of air time minutes included in the contract. To have some control over the company, government regulates how many minutes are included in the contract. Thus the company has no choice but just to comply with this regulation.

“Big Ear” incurs a cost of t per one contract signed and tries to maximize its profit, by choosing the number of contracts to be sold:

$$\max_q f(q, m) \cdot q - t \cdot q$$

It is assumed, that $f_q < 0$, $f_{qq} = 0$, $f_{qm} = 0$, $f_m > 0$.

- (4) (a) Find the first order condition for profit maximization.
- (2) (b) Verify that the second order condition for maximum is satisfied.
- (2) (c) Government wants to know, what will happen to the number of the contracts sold, if they change the regulation increasing the number of minutes m included in the monthly contract. Apply the implicit function rule to find the comparative static derivative $\frac{\partial q^*}{\partial m}$. What is the sign of this derivative? Does it make economic sense?
- (2) (d) We also would like to know, what will happen to the number of the contracts signed if the marginal cost t increases. Apply the implicit function rule to find the comparative static derivative $\frac{\partial q^*}{\partial t}$. What is the sign of this derivative? Does it make economic sense?

6. Find the total differential of the following functions:

(2) (a) $y = 2e^{x_1x_2} + \ln(x_1x_2)$

(2) (b) $z = \left(\frac{2x^2}{\ln(y)}\right)^2$

(0) 7. [Extra credit] Find the derivative of the following function: $y = x^x$

Grade table

Question:	1	2	3	4	5	6	7	Total
Points:	12	6	12	6	10	4	0	50
Score:								